

P-ISSN: 1411-240X E-ISSN: 2527-9963

Accreditation No.: 200/M/KPT/2020

Accredited to Vol. 27 No. 1 (February 2025)

JURNAL TEKNOLOGI REAKTOR NUKLIR TRI DASA MEGA

<http://jurnal.batan.go.id/index.php/tridam>

Vol. 24 No. 3 October 2022



JOURNAL OF NUCLEAR REACTOR TECHNOLOGY
TRI DASA MEGA


Tri Dasa Mega	Vol. 24	No. 3	Hal. 99 – 143	Serpong Oct. 2022	P-ISSN: 1411-240X E-ISSN: 2527-9963
---------------	---------	-------	---------------	----------------------	--

P-ISSN: 1411-240X E-ISSN: 2527-9963
Accreditation No.: 200/M/KPT/2020
Accredited to Vol. 27 No. 1 (February 2025)

JURNAL TEKNOLOGI REAKTOR NUKLIR TRI DASA MEGA

<http://jurnal.batan.go.id/index.php/tridam>

Vol. 24 No. 3 October 2022



**JOURNAL OF NUCLEAR REACTOR TECHNOLOGY
TRI DASA MEGA**

Tri Dasa Mega	Vol. 24	No. 3	Hal. 99 – 143	Serpong Oct 2022	P-ISSN: 1411-240X E-ISSN: 2527-9963
---------------	---------	-------	---------------	---------------------	--

JURNAL TEKNOLOGI REAKTOR NUKLIR TRI DASA MEGA

<http://jurnal.batan.go.id/index.php/tridam>

Vol. 24 No. 3 October 2022

EDITORIAL BOARD

CHIEF EDITOR

Drs. Tukiran Surbakti.

National Research Innovation Agency (BRIN), Indonesia

ASSOCIATE EDITORS

Prof. Drs. Surian Pinem, M.Si.

National Research Innovation Agency (BRIN), Indonesia

Prof. Dr.Ir. Liem Peng Hong

Nippon Advanced Information Service & Visiting Professor of
Tokyo City University, Japan

Prof. Dr.-Ing. Nandy Putra

Universitas Indonesia, Indonesia

Dr. Ir. Andang Widi Harto, M.T.

Universitas Gadjah Mada, Indonesia

Donny Hartanto, Ph.D.

University of Sharjah, United Arab Emirates

Dr. Mulya Juarsa S.Si., M.ESc.

National Research Innovation Agency (BRIN), Indonesia

Dr. Julwan Hendry Purba, S.T., M.App.IT.

National Research Innovation Agency (BRIN), Indonesia

COPY EDITOR

Sofia Loren Butar Butar, S.T. M. Sc.

National Research Innovation Agency (BRIN), Indonesia

R. Andhika Putra Dwijayanto, S.T.

National Research Innovation Agency (BRIN), Indonesia

LAYOUT EDITOR

Dedy Haryanto, A. Md.

National Research Innovation Agency (BRIN), Indonesia

Adhika Enggar Pamungkas, S.ST.

National Research Innovation Agency (BRIN), Indonesia

JOURNAL MANAGER

Farisy Yogatama, S.T.

National Research Innovation Agency (BRIN), Indonesia

ADMINISTRATIVE OFFICER

Dian Koliana Kamal

National Research Innovation Agency (BRIN), Indonesia

PUBLISHER

Research Center for Nuclear Reactor Technology

National Research Innovation Agency (BRIN)

MAILING ADDRESS :

Pusat Riset Teknologi Reaktor Nuklir, ORTN, BRIN

Gedung 80, Puspiptek Serpong 15310, Tangerang

TELP. (021) 7560912, FAX. (021)7560913, E-mail: jurtdm@batan.go.id

Situs Web: <http://jurnal.batan.go.id/index.php/tridam>

Published three times a year in February, June, and October

JURNAL TEKNOLOGI REAKTOR NUKLIR TRI DASA MEGA

<http://jurnal.batan.go.id/index.php/tridam>

Vol. 24 No. 3 October 2022

PEER REVIEWERS

Prof. Ir. Yohannes Sardjono	National Research Innovation Agency (BRIN), Indonesia
Dr. Imam Kambali	National Research Innovation Agency (BRIN), Indonesia
Dr.-Ing. Ir. Sihana	Universitas Gadjah Mada, Indonesia
Ir. Endiah Puji Hastuti MT.	National Research Innovation Agency (BRIN), Indonesia
Dr. Kunihito Nabeshima	Japan Atomic Energy Agency (JAEA), Japan
Ir. Tagor Malem Sembiring	PT Thorcon, Indonesia
Dr. Mukhsinun Hadi Kusuma	National Research Innovation Agency (BRIN), Indonesia
Dr. Dhanaj Seangchangtr	Institute of Nuclear Technology, Thailand
Dipl. Ing. (FH) Andy Sofrany Ekariansah	National Research Innovation Agency (BRIN), Indonesia
Ir. Ign. Djoko Irianto, M.Eng.	National Research Innovation Agency (BRIN), Indonesia
Ir. Surip Widodo, M.IT.	National Research Innovation Agency (BRIN), Indonesia

JURNAL TEKNOLOGI REAKTOR NUKLIR TRI DASA MEGA

<http://jurnal.batan.go.id/index.php/tridam>

Vol. 24 No. 3 October 2022

TABLE OF CONTENTS

	PAGE
EDITORIAL BOARD	i
PEER REVIEWERS	ii
TABLE OF CONTENTS	iii
PREFACE	iv
PREDICTION OF AP1000'S NUCLEAR REACTOR PRESSURE VESSEL TEMPERATURE DURING NORMAL OPERATION..... (<i>Muhammad Darwis Isnaini, Elfrida Saragi, Veronica Indriati Sri Wardhani</i>)	99-58
ESTIMATION OF NEUTRON AND PROMPT PHOTON DOSE RATE DISTRIBUTION IN TMSR-500 USING MCNP6.....(<i>Luqman Satria Pradana, Utari, Suharyana, Azizul Khakim</i>)	99-106
NEUTRONIC ANALYSIS OF THE VVER-1200 LATTICE CELL FUEL USING WIMSD-5B CODE, (<i>Santo Paulus Rajagukguk, Syaiful Bakhri, Ana Mulyana, Juniastel Rajagukguk</i>)	117-124
MICROCONTROLLER ATMEGA328P TIMER/COUNTER FOR SINGLE CHANNEL GAMMA SPECTROSCOPY, (<i>Santiko Tri Sulakson, Putu Sukmabuana, Nanda Nagara</i>)	125-130
COLLISION CASCADE AND PRIMARY RADIATION DAMAGE IN SILICON CARBIDE: A MOLECULAR DYNAMICS STUDY..... (<i>Ihda Husnayani, Muzakkiy Putra Muhammad Akhir</i>)	131-136
ABSTRACT COLLECTION	137-138
KEYWORDS INDEX	139-140
AUTHORS INDEX.....	141-142
ACKNOWLEDGMENT.....	143

PREFACE

Dear readers,

With great pleasure, we provide you with the second issue of the Jurnal Teknologi Reaktor Nuklir (Journal of Nuclear Reactor Technology), Tri Dasa Mega, in 2022 – Vol. 24 No. 3 (October 2022). This issue contains five articles discussing various applications of nuclear technologies and sciences.

The first article “Prediction of AP1000’s Nuclear Reactor Pressure Vessel Temperature During Normal Operation” was written by Muhammad Darwis Isnaini, Elfrida Saragi, Veronica Indriati Sri Wardani from the Research Center for Nuclear Reactor Technology, National Research Innovation Agency (BRIN), Tangerang Selatan, Banten. This paper presents the calculation result of the RPV temperature prediction during AP1000 normal operation. Calculations were performed using COBRA-EN code for analyzing the core thermal hydraulics and using analytics for predicting the RPV temperature. These methods were carried out with the aim to predict the RPV temperature as well as at steady state nominal power conditions, at the function of flow, and at power fluctuation conditions. Modeling of thermal-hydraulic calculations for the AP1000 core to predict the reactor pressure vessel (RPV) temperature is needed to understand. The reactor’s primary coolant system transfers the heat produced in the reactor fuel during reactor operation to the steam generator. Part of the heat will also be transferred from the coolant to the reactor vessel and the pipe. The heat in the cooling system always transfers to the heat pipe.

The second article “Estimation of Neutron and Prompt Photon Dose Rate Distribution in TMSR-500 Using MCNP6” was written by Luqman Satria Pradana, Utari, Suharyana, Azizul Khakim from the Physics Department, Faculty of Mathematics and Natural Sciences, Universitas Sebelas Maret, Surakarta, Central Java, Indonesia. This research is focused on the Thorium Molten Salt Reactor-500 (TMSR-500), one of the Generation IV nuclear reactors, designed by Thorcon International, Pte. Ltd, which is projected to be built in Indonesia. The reactor core is radially surrounded by B4C shielding, but not the upper part. As the silo hall sits above the reactor core and is accessible by reactor personnel, the dose rate must be calculated in the area to ensure the workers receive an annual dose below the acceptable limit. The dose rate from neutrons and photons as the result of fission reactions are the only sources to be calculated in this research, without taking the source from fission products into account. This research aims to obtain the dose rate distribution of neutrons and prompt photons using Monte Carlo code MCNP6.

The third article “Neutronic Analysis of the VVER-1200 Lattice cell fuel using WIMSD-5B Code” was written by Santo Paulus Rajagukguk, Syaiful Bakhri, Ana Mulyana, Juniastel Rajagukguk from the Department of Physics, FMIPA, UNIMED, Medan. They study The calculation of safety parameters in nuclear reactors has an important influence on nuclear reactor control and safety. The infinite multiplication factor, reactivity coefficients, and power peaking factor parameters are the most important safety parameters for determining reactor status. The aim of the present study is to analyze the behavior of the nuclear safety parameters for the VVER-1200 core in a normal state of reactor operation. A lattice cell fuel model of the VVER-1200 reactor core was performed using WIMSD-5B. The cross-section library data based on the ENDF/B-VIII.0 was used. The investigated parameters were the value of infinite multiplication factor with different pitch, temperature, enrichment, and boron concentration. The calculation also investigated the reactivity coefficient parameters. The

verification of the WIMS model VVER-1200 was performed by comparing the results of the WIMSD-5B code with VVER-1200 data in the SAR document.

The fourth article “Microcontroller ATmega328P Timer/Counter for Single Channel Gamma Spectroscopy” was explored by Santiko Tri Sulaksono, Putu Sukmabuana, Nanda Nagara, from the Research Center for Technology Nuclear Reactor, Research Organization for Nuclear Energy, National Research and Innovation Agency, Bandung, West Java. Their research is about The performance of the ATmega328P microcontroller Timer/Counter on Arduino has been tested for single-channel spectroscopy. Microcontroller's Timer/Counter1 is used as a counter while Timer/Counter2 is used as a timer. Tests include the linearity test, comparative test, and chi-square test. The test results show that the ATmega328P microcontroller Timer/Counter works well and can be used as the end of a single-channel spectroscopic system.

The fifth article “Collision Cascade and Primary Radiation Damage in Silicon Carbide: A Molecular Dynamics Study” was investigated by Ihda Husnayani, Muzakkiy Putra Muhammad Akhir, from the Research Center for Technology Nuclear Reactor, Research Organization for Nuclear Energy, National Research and Innovation Agency, South Tangerang, Banten. The paper has presented the assessment of Silicon carbide (SiC) as a competitive candidate material to be used in several advanced and Generation-IV nuclear reactor designs as a neutron moderator, fuel coating, cladding, or core structural material. Many studies have been performed to investigate the durability of SiC in a severe environment in a nuclear reactor. However, the nature and behavior of defects induced by neutron irradiation are still not fully understood. This paper is aimed to study collision cascade and primary radiation damage in SiC using molecular dynamics simulation. The potential being used was a hybrid Tersoff potential modified with Ziegler-Biersack-Littmark (ZBL) screening function. The collision cascade was let evolved for 10 ps from a Si or C primary knocked atom (PKA) located initially at the top center of a system.

On behalf of the Jurnal Teknologi Reaktor Nuklir (Journal of Nuclear Reactor Technology) Tri Dasa Mega, I would like to thank all Editors, Reviewers, Managements, Authors, and Readers for your endless support.

Editor in Chief