



Jurnal Teknologi Reaktor Nuklir

# Tri Dasa Mega

Journal homepage: [jurnal.batan.go.id/index.php/tridam](http://jurnal.batan.go.id/index.php/tridam)

## Abstract Collection

Muhammad Subhan, Topan Setiadipura, Mohammad Dhandhang Purwadi, Muksin Aji Setiawan, Tresna Priyana Soemardi, Ario Sunar Baskoro, Cecep Slamet Abadi, Evi Latifah, Nafisah Amalia, Yusi Amalia Renaningtyas, *The Study of Mechanical Failure in Helical Steam Generator of High-Temperature Gas-Cooled Reactor (HTGR)*, Tri Dasa Mega, 26 (3), 101.

*This research examines mechanical damage in helical steam generators, focusing on the causes, contributing factors, and impact of damage on the performance of the steam generator (SG). The research methodology involves analyzing various data sources, including scientific literature and previous nuclear industry experiences. The analysis results indicate that thermal stress, pressure fluctuations, material wear, and design errors can cause mechanical damage in helical SGs. Volumetric defects and leaks at pipe joints or welds are also potential issues. This study provides insights into failure mechanisms and highlights the importance of routine maintenance and inspection to prevent more serious failures. By better understanding these issues, innovative solutions can be developed to improve the performance and safety of helical steam generators in nuclear reactors.*

**Keywords:** Nuclear Reactor, Mechanical Failure, Helical, Steam Generator.

Tulis Jojok Suryono, Nuri Trianti, Sigit Santoso, Sudarno, Kiswanta, Restu Maerani, Medila Kusriyanto., *Data Visualization in The Human-Machine Interface of Reactor Protection System Simulator*, Tri Dasa Mega, 26 (3), 107.

*The Reactor Protection System (RPS) is critical to the operation of nuclear power plants as it monitors essential reactor parameters and initiates automated shutdowns when necessary. The human-machine interface (HMI) of the RPS is pivotal for enabling operators to efficiently monitor, analyze, and respond to complex data. This study aims to simulate the signal or data flow in the RPS of HTR-10, a high-temperature gas-cooled reactor (HTGR) with a thermal power output of 10 MWth, which contributes to a deeper understanding of RPS functionality and to enhance the awareness of operators regarding the plant parameters status. The HMI panels, as well as sensor input data,*

*were generated using Python programming language. The HMI of RPS successfully and comprehensively displays the values of key sensor inputs and their trip setpoints (neutron flux, helium temperature, primary coolant pressure) both on panels and in real-time graphs. Moreover, it also shows the reactor status (normal or trip) based on the existence of an initiation trip signal in the RPS. Alarm panels are generated when the reactor is tripped. The RPS simulator can be used to guide future enhancements in reactor safety systems.*

**Keywords:** Data visualization, Reactor protection system, Python programming language, Human-machine Interface, High-temperature Gas-cooled Reactor.

Theo Alvin Ryanto, Jupiter Sitorus Pane, Muhammad Budi Setiawan, Yarianto Sugeng Budi Susilo, Ihda Husnayani, Anik Purwaningsih., *The Development of a DISPERSIA Code Program-Air Dispersion Program for Radiological Dose Assessment of Nuclear Facilities*, Tri Dasa Mega, 26 (3), 115.

*The DISPERSIA-BRIN program, along with its sub-programs STDISPERSIA and WRDISPERSIA, was developed to enable swift and effective radiological analysis, essential for rapid decision-making during nuclear accidents. These programs were validated against SIMPACT version 1.0 confirming their accuracy and reliability. Python was selected as the primary programming language due to its simplicity and versatility. DISPERSIA-BRIN incorporates geospatial analysis tools, allowing researchers to visualize the radioactive material concentration and the dose impact on polar grids surrounding the nuclear facility. The program models the dispersion of concentrations and their dose effects, assessing their interaction with humans, livestock, and plants. This helps to identify high-dose areas, vulnerable populations, and emergency planning zones. A case study involving a hypothetical Nuclear Power Plant and site demonstrated DISPERSIA-BRIN's capability to accurately calculate and visualize radionuclide dispersion, aiding in the identification of high-radiation areas.*

**Keywords:** *DISPERSIA, Radiological Analysis, Geospatial Analysis Tool, Concentration Dispersion, Dose Effect.*

Rahmania Serli Assifa, R. Andika Putra Dwijayanto, Fajar Arianto., *Neutronic Analysis of the NuScale Fuel Assembly using Accident Tolerant Fuel with SiC-Coated Alumina Cladding.*, Tri Dasa Mega, 26 (3), 125.

*Nuclear fuel design influences a nuclear reactor's performance and safety. Accident Tolerant Fuel (ATF) is a novel concept in nuclear fuel technology developed to improve the performance and safety of a nuclear power reactor. Different ATF materials can impact the neutronic aspect of a nuclear reactor and thus must be analyzed accordingly. This research is a neutronic analysis of an ATF design using alumina (Al<sub>2</sub>O<sub>3</sub>) and outer silicon carbide (SiC) coating implemented in NuScale SMR fuel assembly. MCNP6.2 code was utilized to perform neutronic calculations. Standard M5 cladding in NuScale was compared with Al<sub>2</sub>O<sub>3</sub> and Al<sub>2</sub>O<sub>3</sub>+ SiC cladding. Analyzed parameters were fuel burnup, kinetic parameters, Doppler temperature coefficient, moderator temperature coefficient, and the evolution of several radionuclides. The results show no significant differences in the neutronic performance of the Al<sub>2</sub>O<sub>3</sub> cladding compared to the standard M5 cladding. Therefore, Al<sub>2</sub>O<sub>3</sub> cladding has the potential for application in pressurized water reactor (PWR) fuel.*

**Keywords:** *Accident Tolerant Fuel, Pressurized Water, Reactor, NuScale, Cladding, Alumina, Silicon Carbide.*

Rizky Mu'amanah, Mokhammad Tirono, Yohannes Sardjono, Isman Mulyadi Triatmoko, Gede Sutrisna Wijaya., *Dose Analysis of Boron Neutron Capture Therapy (BNCT) for Breast Cancer Based on Particle and Heavy Ion Transport Code System (PHITS) V.3.34.*, Tri Dasa Mega, 26 (3), 133.

*Breast cancer is one of the most common types of cancer, with a high incidence and mortality rate*

*worldwide, including in Indonesia. Boron Neutron Capture Therapy (BNCT) has been formulated as a promising method of radiation therapy in the treatment of breast cancer due to its ability to deliver high doses to target lesions with minimal damage to healthy tissue. This study aims to analyze the BNCT dose in breast cancer and evaluate the irradiation time in two directions: anterior-posterior (AP) and left lateral (LLAT). This research utilizes the PHITS version 3.34 simulation tool to define the geometry of breast cancer, the surrounding organs, and the radiation sources used. The phantom used was an ORNL adult woman with a 2 cm tumor. The neutron source was an accelerator with a 30 MeV proton beam. Boron concentrations were 30, 60, 90, 120, and 150 µg/g of cancer tissue. This research shows that the higher the boron concentration, the shorter the irradiation time required, thereby minimizing side effects and the risk of damage to Organ at Risk (OARs). For the AP irradiation technique, the resulting irradiation times were 27.62 minutes, 16.14 minutes, 13.12 minutes, 11.05 minutes, and 9.54 minutes. Meanwhile, in the LLAT direction, the resulting times were 135.23 minutes, 113.46 minutes, 78.23 minutes, 59.70 minutes, and 48.27 minutes. A boron concentration of 150 µg/g was chosen as the optimal concentration in this simulation because it results in a short irradiation time from each irradiation direction and ensures a safe dose for Organs at Risk (OARs). In the AP irradiation technique, the dose absorbed by the skin was 0.46 Gy, the ipsilateral lung was 1.01 Gy, the contralateral lung was 0.16 Gy, the ribs were 0.61 Gy, and the heart was 0.11 Gy. Meanwhile, in the LLAT irradiation technique, the dose absorbed by the skin was 1.03 Gy, the ipsilateral lung was 2.19 Gy, the contralateral lung was 0.72 Gy, the ribs were 1.62 Gy, and the heart was 0.40 Gy.*

**Keywords:** *Breast Cancer, BNCT, PHITS, Dosimetry.*



## Keywords Index

### A

Accidents, 115, 121  
Accuracy, 115  
Alumina, 121  
Analyzing, 101, 121, 129  
Anterior-posterior, 129  
Application, 121  
Appropriate, 107  
Accident, 117  
Actuated, 117  
Assembly, 121  
Assessment, 115  
Automated, 107  
Awareness, 107

### B

BNCT, 129  
Boron, 129  
Breast, 129

### C

Cancer, 129  
Capture, 129  
Carbon, 107  
Cladding, 121  
Considering, 107  
Console, 107  
Construction, 107  
Code, 115, 129  
Concentration, 115  
Contralateral, 129

### I

Impact, 101  
Industry, 101  
Influences, 121  
Interface, 107  
Intended, 117  
Ion, 129  
Irradiation, 129

### D

Damage, 101  
Data, 101, 107  
Development, 115  
Design, 121  
DISPERSIA, 115  
Dispersion, 115  
Doppler, 121  
Dose, 115, 129

### E

Examines, 101  
Emergency, 115  
Evolution, 121  
Estimate, 107

### F

Failure, 101  
Fuel, 121  
Fluctuation, 101  
functionality, 107  
Flux, 107  
Facility, 115

### G

Gas-Cooled, 101  
Generator, 101  
Guide, 107  
Generation, 107  
Geospatial, 115

### H

Heavy, 129  
Helical, 101  
Helium, 107  
High-Temperatur, 101, 107  
HMI, 107  
HTGR, 101, 107  
Human-Machine, 107  
Heavy, 101  
Human, 101, 107  
Heat, 125

**L**

Language, 107  
Lead, 101  
Lower, 101  
Location, 107  
Lung, 129

**M**

Maintenance, 101  
MCNP, 121  
Mechanical, 101  
Methodology, 101  
Mortality, 129

**N**

Neutron, 129  
Neutronic, 121  
Nuclear, 107, 115, 121  
NuScale, 121

**O**

Operation, 107

**P**

Panels, 107  
Parameter, 121  
Particle, 129  
Performance, 101  
Phantom, 129  
PHITS, 129  
Pipe, 101  
Pivotal, 107  
Plant, 107  
Populations, 115  
Pressure, 101, 121  
Protection, 107  
Primary, 107, 115  
Power, 107  
Program, 115  
Protection, 117  
Programming, 107  
Python, 107  
PWR, 121

**R**

Radiological, 115  
Radionuclide, 115  
Rate, 129  
Reactor, 101, 107, 121  
RPS, 107  
Research, 101  
Recommendation, 107  
RPS, 107  
Real-time, 107

**S**

Safety, 101  
Setpoints, 107  
Shutdowns, 107  
SiC-Coated, 121  
Solutions, 101  
Sources, 101  
Steam, 101  
Study, 101  
Simulation, 101, 107  
Simulator, 107  
System, 107, 129  
Swift, 115

**T**

Technology, 107, 121  
Therapy, 129  
Tolerant, 121  
Transport, 129  
Tumor, 129

**U**

Utilization, 107

**V**

Visualization, 107, 115  
Volumetric, 101

**W**

Water, 121  
Worldwide, 129  
WRDISPERSIA, 115



Jurnal Teknologi Reaktor Nuklir

# Tri Dasa Mega

Journal homepage: [jurnal.batan.go.id/index.php/tridam](http://jurnal.batan.go.id/index.php/tridam)

## Author Index

	PAGE
Afifa Pramesywari.....	51, 61
Agus Nur Rachman.....	9, 23
Ahmad Muzaki Maburi.....	9
Airine Hijrah Handayani.....	33
Alif Rahman Wirza.....	61, 69
Alim Mardhi .....	1
Almira Citra Amelia.....	71
Amil Mardha .....	33
Anik Purwaningsih.....	115
Arif Adtyas Budiman.....	71
Ario Sunar Baskoro.....	101
Berkah Fajar Tamtomo Kiono.....	51,61,69
Cecep Slamet Abadi .....	107
Dewi Nur Riskiana .....	1
Dimas Dimas.....	71
Dinan Andiwijayakusuma.....	1
Egnes Ekaranti .....	9, 23
Eka Djatnika Nugraha .....	9, 23
Evi Latifah .....	101
Fajar Arianto.....	121
Gede Sutrisna Wijaya.....	129
Giarno Giarno.....	51,61,69
Haura Emara.....	51
Hendro Tjahjono.....	71
Hyundianto Arif Gunawan.....	71
I Wayan Ngarayana....	9, 23
Ihda Husnayani .....	115
Ika Wahyu Andani....	23
Isman Mulyadi Triatmoko.....	129
Iwan Roawandi.....	71
Jupiter Sitorus Pane.....	51, 115

Khoiri Rozi.....	69
Kiswanta .....	107
Kurnia Anzhar.....	33
Laili Farah .....	33
Medila Kusriyanto.....	107
Mohammad Dhandhang Purwadi1.....	101
Moh Hamdan .....	9
Muhammad Mika Ramadhani Restiawan.....	129
Mokhammad Tirono.....	61, 69
Mukhsinun Hadi Kusuma.....	51,61,69
Mudjiomo Mudjiono.....	33
Muhammad Budi Setiawan.....	115
Muhammad Subhan .....	101
Muhammad Yunus.....	61, 69
Muksin Aji Setiawan.....	101
Mulya Juarsa.....	71
Nanang Apriandi.....	61
Nafisah Amalia.....	101
Nuri Trianti.....	107
Nuryanti Nuryanti.....	33
Purwadi Purwadi .....	87
R Andika Putra Dwijayanto .....	121
Rahmania Serli Assifa.....	121
Restu Maerani.....	129
Rezky Mahardika Saryadi.....	33
Rizky Mu'amanah.....	107
Rusbani Kurniawan.....	9, 23
Sanda Sanda .....	71
Santo Paulus Rajagukguk.....	87
Sigit Santoso.....	107
Sofia Loren Butar Butar.....	61, 69
Sudarno.....	107
Sumantri Hatmoko.....	51, 61,69
Syaiful Bakhrii.....	87
Teguh Asmoro.....	61
Theo Alvin Ryanto.....	115
Topan Setiadipura.....	101
Tresna Priyana Soemardi.....	101
Tulis Jojok Suryono.....	107
Yariato Sugeng Budi Susilo.....	115
Yohannes Sardjono.....	129
Yoyok Dwi Setyo Pambudi.....	51, 61, 69
Yusi Amalia Renaningtyas.....	101
Yus Rusdian Akhmad.....	33
Wahyudi Wahyudi.....	9



Jurnal Teknologi Reaktor Nuklir

# Tri Dasa Mega

Journal homepage: [jurnal.batan.go.id/index.php/tridam](http://jurnal.batan.go.id/index.php/tridam)

## Acknowledgment

The following Peer Reviewers:

- Prof. Drs. Surian Pinem MSi.
- Ir. Damianus Sony Tjahyani, M.Sc.
- Dr. Yus Rusdian Akhmad M.Eng.
- Dr. Jupiter Sitorus Pane M.Sc.
- Dr. M. Budi Setiawan.
- Sofia Lorenz Butar Butar S.T, MSc.
- Dr. Kunihiko Nabeshima
- Dr. Mukhsinun Hadi Kusuma M.Sc.
- Dipl. Ing. (FH) Andi Sofrany Ekariansyah
- Dr. Mulya Juarsa, S.Si., MESC
- Restu Meirani S.T, MSc.
- Dr. Azizul Khakim MSc.

We greatly acknowledge those who have been involved in reviewing the articles in this issue of Tri Dasa Mega, Vol. 26 No. 3, October 2024.